

11/01/00

jc960 U.S. PTO


A

11-02-00

UTILITY PATENT APPLICATION TRANSMITTAL <i>(Only for new nonprovisional applications under 37 CFR 1.53(b))</i>	<i>Title of Invention</i>	System and Method for Providing Language Localization for Server-Based Applications with Scripts
	<i>Named Inventor(s)</i>	Ludovic Hauduc and Tuna Ertemalp
	<i>Attorney Docket</i>	06576.105030 - MS No. 154665.1
	<i>Express Mail Label No.</i>	EF045414104US

jc932 U.S. PTO
09/704073

11/01/00

APPLICATION ELEMENTS		Assistant Commissioner of Patents ADDRESS TO: Box Patent Application Washington, D.C. 20231	
1. <input checked="" type="checkbox"/> Fee Transmittal Form <i>(Submit an original, and a duplicate for fee processing)</i> 2. <input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. 3. <input checked="" type="checkbox"/> Specification, Claims, and Abstract Total Pages 18 4. <input checked="" type="checkbox"/> Drawings Total Sheets 8 5. Oath or Declaration Total Pages 2 a. <input checked="" type="checkbox"/> Newly executed (original or copy) b. <input type="checkbox"/> Copy from prior application (37 CFR 1.63(d)) <i>(for continuation/divisional with Box 17 completed)</i> (i) <input type="checkbox"/> DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b). 6. <input type="checkbox"/> Application Data Sheet. See 37 CFR 1.76. 7. <input type="checkbox"/> CD-ROM or CD-R in duplicate, large table or Computer Program <i>(Appendix)</i> 8. Nucleotide and/or Amino Acid Sequence Submission <i>(if applicable, all necessary)</i> a. <input type="checkbox"/> Computer Readable Form (CRF) b. Specification Sequence Listing on: i. <input type="checkbox"/> CD-ROM or CD-R (2 copies); or ii. <input type="checkbox"/> paper c. <input type="checkbox"/> Statement verifying identity of above copies		ACCOMPANYING APPLICATION PARTS 9. <input checked="" type="checkbox"/> Assignment Papers (cover sheet & document(s)) 10. <input type="checkbox"/> 37 CFR 3.73(b) Statement <i>(when there is an assignee)</i> <input type="checkbox"/> Power of Attorney by assignee 11. <input type="checkbox"/> English Translation Document <i>(if applicable)</i> 12. <input type="checkbox"/> Information Disclosure Statement (IDS) PTO-1449 <input type="checkbox"/> Copies of IDS Citations 13. <input type="checkbox"/> Preliminary Amendment 14. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) <i>(Should be specifically itemized)</i> 15. <input type="checkbox"/> Certified Copy of Priority Document(s) 16. <input checked="" type="checkbox"/> Other: Checks \$710.00 and \$40.00 <hr/> <hr/>	
17. If a CONTINUING APPLICATION , check appropriate box and supply the requisite information: <input type="checkbox"/> Continuation <input type="checkbox"/> Divisional <input type="checkbox"/> Continuation-in-part (CIP) of prior application No: Prior application information: Examiner: Group/Art Unit: For CONTINUATION OR DIVISIONAL APPS only: The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 5b, is considered as being part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation <u>can only</u> be relied upon when a portion has been inadvertently omitted from the submitted application parts.			
18. CORRESPONDENCE ADDRESS: <div style="display: flex; justify-content: space-between;"> <div> W. Scott Petty, Esq. KING & SPALDING 45th Floor 191 Peachtree Street, N.E. Atlanta, Georgia 30303 </div> <div> By:  Date: November 1, 2000 Telephone: 404.572.4600 Facsimile: 404.572.5145 Customer No. 20786 </div> <div> Reg. No. 35,645 </div> </div>			

FEE TRANSMITTAL

Attorney Docket No. 06576.105030 - MS No. 154665.1

This sheet accompanies a patent application transmittal for the following application:

Inventor(s): Ludovic Hauduc and Tuna Ertemalp
Filing Date: November 1, 2000
Title: System and Method for Providing Language Localization for Server-Based Applications
With Scripts

The filing fee is calculated as shown below:

1. FILING FEE:

FOR:	SMALL ENTITY		LARGE ENTITY	
	FEE	FEE PAID	FEE	FEE PAID
<input checked="" type="checkbox"/> UTILITY FILING FEE	\$355		\$710	\$710
<input type="checkbox"/> DESIGN FILING FEE	\$160		\$320	
<input type="checkbox"/> PLANT FILING FEE	\$245		\$490	
<input type="checkbox"/> REISSUE FILING FEE	\$355		\$710	
<input type="checkbox"/> PROVISIONAL FILING FEE	\$75		\$150	
SUBTOTAL (1)		\$xxx		\$710

2. CLAIMS:


FOR:	SMALL ENTITY			LARGE ENTITY		
	NO. FILED	NO. EXTRA	RATE	RATE	FEE	FEE
TOTAL CLAIMS	10 - 20 =	0	x 9 =	x 18 =		0
INDEP. CLAIMS	3 - 3 =	0	x 40 =	x 80 =		0
<input type="checkbox"/> MULTIPLE DEPENDENT CLAIM PRESENTED			+135 =	+270 =		
SUBTOTAL (2)			\$xxx			\$0

3. ADDITIONAL FEES:

FOR:	SMALL ENTITY		LARGE ENTITY	
	FEE	FEE PAID	FEE	FEE PAID
<input type="checkbox"/> LATE FILING, FEE OR OATH	\$65		\$130	
<input type="checkbox"/> NON-ENGLISH SPECIFICATION	\$130		\$130	
<input type="checkbox"/> OTHER				
SUBTOTAL (3)		\$xxx		\$xxx

TOTAL FILING FEES: \$710A check is enclosed for the total amount: **\$710**☐ Charge any additional fees required under 37 C.F.R. 1.16 or 1.17 to Deposit Account 11-0980.

KING & SPALDING
45th Floor, 191 Peachtree Street, N.E.
Atlanta, Georgia 30303
Telephone: 404.572.4600

By: 
W. Scott Petty, Attorney for Applicant
Reg. No. 35,645

Date: November 1, 2000

SYSTEM AND METHOD FOR PROVIDING LANGUAGE LOCALIZATION FOR SERVER-BASED APPLICATIONS WITH SCRIPTS

TECHNICAL FIELD

The present invention is generally directed to providing application content in a distributed computing environment in a variety of different languages. More specifically, the present invention supports a server-based translation of content of an application and a client-based translation of supplemental content for scripts without altering the code for the application or the supplemental content. The invention makes this possible without reproducing separate versions of the application and supplemental content in desired languages.

BACKGROUND OF THE INVENTION

The Internet has quickly become a popular means for transmitting information because of the world-wide access it provides to information resources. The information on the Internet is available in a variety of formats and it can have educational, entertainment, or business purposes. The World Wide Web (the "Web") is one of the largest and most popular distributed computing networks that make-up the Internet. The Web comprises interconnected computers from around the world. A computer connected to the Internet can download digital information from Web server computers. The Web comprises resources and clients that communicate digital information and instructions typically using a format known as Hypertext Markup Language (HTML). These instructions can include information for formatting text, linking to digital data, and receiving digital data.

One of the assets of the Web, world-wide interconnectivity, can also be an obstacle in that people around the world speak different languages. The information generated by Web server computers is typically in one language. This limits the usefulness and value of the Web server computer on a global scale. The problem is compounded by the existence of scripts (or ActiveX controls), which are simple programs running on the client that enhance the information generated by the Web server computer.

The conventional approach to solving this problem is to design a single Web page in one language that permits a client to choose a language from a limited list of languages supported by the site. Copies of the Web applications are reproduced in the languages supported by the site. Similarly, separate versions of the content to be processed by the client's scripts are created.

Once the client makes a language selection, it is directed to one set of the Web applications and the corresponding script content in the chosen language.

There are limitations with the conventional approach. First, this is a labor-intensive solution in that separate sets of Web applications and script content must be created for each language. Any time the Web application or script content is changed or updated, each version of the Web application and script content must be changed to make that language's version current. Maintaining a separate version of the Web application and script content for each language is time consuming and limits the practical ability to support many different languages. The conventional approach also does not allow a client to change languages in the midst of using a Web application or script, but requires the client to return to the beginning of the Web application. The client then chooses the alternate language and proceeds from the beginning of that version of the Web application.

In view of the foregoing, there is a need in the art for a method and system which will allow Web applications and scripts to support many different languages. Specifically, there is a need for Web applications to provide content in various languages without separate versions of the application for each language. There is a further need to change Web applications and script content to keep them current without having to alter the same element in each language version. There is also a need for clients to be able to use scripts in their desired language to supplement Web applications. Finally, a need exists in the art for a client to change languages at any point in using a Web application or script without having to return to the beginning of the Web application and repeat steps in another language.

SUMMARY OF THE INVENTION

The present invention is generally directed to software modules operating in a distributed computing environment. Specifically, the invention is designed to operate on a wide area network such as the World Wide Web (the "Web"). The Web comprises Web pages or Web applications that reside on computer servers in a network and that can be accessed by clients. The present invention operates in a distributed computing environment with at least one server and clients connected to the server. To enable the client to receive an application in a desired language, the server determines the client's language preference. Using software modules residing on the server called language packs, the server can convert the application content to the

client's preferred language. Upon completing the translation, the server can send the localized content to the client.

The present invention can provide the content of a Web application in different languages, called localization, with language pack software modules maintained at the server.

5 The single application contains elements that make-up the content of the application and are encoded as strings. The invention enables the conversion of the string elements that make-up the content of the application into various languages without altering the underlying code of the application. The localization process at the server takes these string elements and replaces them with the content of a specific language. Localization is accomplished with language pack
10 software modules residing on the server. Language packs can convert the content of the Web pages into the desired language and render the translated content for the Web client.

The invention also allows the client to use scripts to enhance the application. Typically, at the time the client accesses an application on a server, component language packs can be downloaded from the server to the client for converting supplemental content at the client.
15 Additional encoded strings from the application comprise supplemental content for processing by the client script. The client retrieves these additional encoded strings and, using the component language pack, converts them to the selected language. A script residing on the client utilizes these supplemental strings to enhance the application by providing interactivity and functionality, such as popup menus and additional graphics.

20 Existing Web applications do not permit efficient conversion of content into many languages. The conventional approach involves creating a homepage in one language and then providing links from the homepage to duplicate sets of Web pages. Each duplicate set is translated into a different language and has accompanying content for client scripts. In contrast, the present invention requires only one set of Web pages and one version of script content for the
25 specific Web application. This approach permits the Web client to choose a new language whenever it desires and eliminates the need to create duplicate sets of Web pages for each language. The invention also facilitates updating the Web application in that changes in the computer code only need to be made once instead of in each language version.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a functional block diagram illustrating the operating environment for an exemplary embodiment of the present invention.

FIG. 2 is a functional block diagram illustrating the architecture of a distributed computer network in accordance with an exemplary embodiment of the present invention.

FIG. 3 is a logic flow diagram illustrating an overview of an exemplary process for converting a Web application with scripts into a language selected by a client.

FIG. 4 is a logic flow diagram illustrating an exemplary process for determining a client's language preference.

FIG. 5 is a logic flow diagram illustrating an exemplary process for selecting a language pack and downloading a component language pack.

FIG. 6 is a logic flow diagram illustrating an exemplary process for localizing a Web application with a language pack.

FIG. 7 is a logic flow diagram illustrating an exemplary process for sending a localized application to a client.

FIG. 8 is a logic flow diagram illustrating an exemplary process for retrieving supplemental strings from the application for the client scripts.

DETAILED DESCRIPTION OF THE EXEMPLARY EMBODIMENTS

The present invention allows for the server-based translation of content for an application and client scripts into a variety of different languages. Instead of creating a different version of a particular application and its accompanying supplemental content for every desired language, the present invention maintains only one version on a server computer. Files called language packs also reside on the server. Language packs contain the data for translating the application content into a desired language. When a client accesses an application residing on a server, it can choose a language for the application content to be displayed in. The data contained in the language packs is used to translate the application content. The server then sends the translation to the client.

The invention also supports the functioning of client scripts in different languages. In order to reduce subsequent delays, a component of the language pack typically is downloaded to the client when it first accesses an application on a server. This component is subsequently used

to convert strings containing supplemental information for scripts residing on the client. Once the supplemental strings are converted, the script can render the supplemental information on the client. The client can also choose to change the language translation while using the server-based application or client-based script without having to exit and return to the beginning of the application. Components from more than one language pack can be downloaded to the client to support multiple languages at the client.

Although the exemplary embodiments will be generally described in the context of software modules running in a distributed computing environment, those skilled in the art will recognize that the present invention also can be implemented in conjunction with other program modules for other types of computers. In a distributed computing environment, program modules may be physically located in different local and remote memory storage devices. Execution of the program modules may occur locally in a stand-alone manner or remotely in a client/server manner. Examples of such distributed computing environments include local area networks of an office, enterprise-wide computer networks, and the global Internet.

The detailed description which follows is represented largely in terms of processes and symbolic representations of operations in a distributed computing environment by conventional computer components, including remote file servers, remote computer servers, remote memory storage devices, a central processing unit (CPU), memory storage devices for the CPU, display devices and input devices. Each of these conventional distributed computing components is accessible by the CPU via a communications network.

The processes and operations performed by the computer include the manipulation of signals by a CPU or remote server and the maintenance of these signals within data structures resident in one or more of the local or remote memory storage devices. Such data structures impose a physical organization upon the collection of data stored within a memory storage device and represent specific electrical or magnetic elements. These symbolic representations are the means used by those skilled in the art of computer programming and computer construction to most effectively convey teachings and discoveries to others skilled in the art.

Referring now to the drawings, in which like numerals represent like elements throughout the several figures, aspects of the present invention and the preferred operating environment will be described.

FIG. 1 illustrates various aspects of an exemplary computing environment in which the present invention is designed to operate. Those skilled in the art will appreciate that FIG. 1 and the associated discussion are intended to provide a brief, general description of the preferred computer hardware and program modules, and that additional information is readily available in the appropriate programming manuals, user's guides, and similar publications.

FIG. 1 illustrates a conventional personal computer 10 suitable for supporting the operation of the preferred embodiment of the present invention. As shown in FIG. 1, the personal computer 10 operates in a networked environment with logical connections to a remote server 225. The logical connections between the personal computer 10 and the remote server 225 are represented by a local area network 12 and a wide area network 13. Those of ordinary skill in the art will recognize that in this client/server configuration, the remote server 225 may function as a file server or computer server.

The personal computer 10 includes a CPU 14, such as "PENTIUM" microprocessors manufactured by Intel Corporation of Santa Clara, Calif. The personal computer also includes system memory 15, including read only memory (ROM) 16 and random access memory (RAM) 17, which is connected to the CPU 14 by a system bus 18. The preferred computer 10 utilizes a BIOS 19, which is stored in ROM 16. Those skilled in the art will recognize that the BIOS 19 is a set of basic routines that helps to transfer information between elements within the personal computer 10. Those skilled in the art will also appreciate that the present invention may be implemented on computers having other architectures, such as computers that do not use a BIOS, and those that utilize other microprocessors.

Within the personal computer 10, a local hard disk drive 20 is connected to the system bus 18 via a hard disk drive interface 21. A floppy disk drive 22, which is used to read or write a floppy disk 23, is connected to the system bus 18 via a floppy disk drive interface 24. A CD-ROM or DVD drive 25, which is used to read a CD-ROM or DVD disk 26, is connected to the system bus 18 via a CD-ROM or DVD interface 27. A user enters commands and information into the personal computer 10 by using input devices, such as a keyboard 28 and/or pointing device, such as a mouse 29, which are connected to the system bus 18 via a serial port interface 30. Other types of pointing devices (not shown in FIG. 1) include track pads, track balls, pens, head trackers, data gloves and other devices suitable for positioning a cursor on a computer

monitor **31**. The monitor **31** or other kind of display device is connected to the system bus **18** via a video adapter **32**.

The remote server **225** in this networked environment is connected to a remote memory storage device **33**. This remote memory storage device **33** is typically a large capacity device such as a hard disk drive, CD-ROM or DVD drive, magneto-optical drive or the like. Those skilled in the art will understand that program modules such as an application **230** and language conversion function **233** are provided to the remote server **225** via computer-readable media. The personal computer **10** is connected to the remote server **225** by a network interface **34**, which is used to communicate over the local area network **12**.

As shown in FIG. 1, the personal computer **10** is also connected to the remote server **225** by a modem **35**, which is used to communicate over the wide area network **13**, such as the Internet. The modem **35** is connected to the system bus **18** via the serial port interface **30**. The modem **35** also can be connected to the public switched telephone network (PSTN) or community antenna television (CATV) network. Although illustrated in FIG. 1 as external to the personal computer **10**, those of ordinary skill in the art can recognize that the modem **35** may also be internal to the personal computer **10**, thus communicating directly via the system bus **18**. It is important to note that connection to the remote server **225** via both the local area network **12** and the wide area network **13** is not required, but merely illustrates alternative methods of providing a communication path between the personal computer **10** and the remote server **225**.

Although other internal components of the personal computer **10** are not shown, those of ordinary skill in the art will appreciate that such components and the interconnection between them are well known. Accordingly, additional details concerning the internal construction of the personal computer **10** need not be disclosed in connection with the present invention.

Those skilled in the art will understand that program modules such as an operating system **36**, browser **213**, script **205**, component object **250**, other software modules **38**, and data are provided to the personal computer **10** via computer-readable media. In the preferred computer, the computer-readable media include the local or remote memory storage devices, which may include the local hard disk drive **20**, floppy disk **23**, CD-ROM or DVD **26**, RAM **17**, ROM **16**, and the remote memory storage device **33**. In the preferred personal computer **10**, the local hard disk drive **20** is used to store data and programs, including the operating system and programs.

Referring now to FIG. 2, an exemplary architecture of the present invention will be described. FIG. 2 illustrates an exemplary system **200** for providing a localizable application. The system **200** includes clients **210**, **215**, and **220** and a server **225** and comprises a distributed computing environment. The server **225** receives digital signals from and sends digital signals to the clients **210**, **215**, and **220**, typically via a distributed computer network, such as the Internet. A browser **213** enables client **1 210** to present digital content, based upon digital signals transmitted from the server **225**. The server further comprises software modules including an application **230** and a language conversion function **233**. The language conversion function **233** comprises a local string object **235**, an Active Server Page Engine **245**, and language packs **240a** through **240n**.

Client **1 210** can include a script **205**, a browser **213**, and a component object **250**. Using the browser **213**, client **1 210** can access an application **230** on the server **225**. The local string object **235** determines the language the application **230** will be converted into based upon a client language preference. A language pack **240a** is selected that matches the language selected by the local string object **235**. A simplified version of the language pack **240a**, called the component object **250**, is downloaded to the client. The language pack **240a** provides a translation for the content of the application **230**. The translated content for the application **230** is then sent to the client **210** by the Active Server Page Engine **245** in a form that can be understood by the client. The script **205** can enhance the application **230** by pulling supplemental content from the application **230** with the browser **213** to client **1 210**. The component object **250** at the client converts the supplemental content to the client's language preference. The script **205** can then render the supplemental content.

An example of an enhancement provided by the supplemental content is a popup window displayed on the client which provides travel information for a specific country. The browser **213** would retrieve encoded strings from the application with supplemental content concerning the travel information. The component object **250** residing on client **1 210** takes the supplemental content and converts it into the selected language for client **1 210**. The converted supplemental content can then be processed by the script **205** residing on client **1 210** to render the popup window for client **1 210**. The popup window would not have been available with the application client **1 210** retrieved from the server. However, the script **205** was able to provide the popup window with the supplemental content from the application **230**. Moreover, the

supplemental content is rendered in the selected language for client 1 210 because the encoded strings are converted by the component object 250 residing on client 1 210.

FIG. 3 is a logic flow diagram illustrating an overview of exemplary steps for a language localization process. Referring now to Figs. 2 and 3, a process 300 is begun at step 310 with client 1 210 accessing an application 230 on a server 225. In step 315 the client's language preference is determined at the server 225. Once the client's language preference is determined, the browser 213 downloads the component object 250 in step 320 from the language pack 240a that supports the preferred language. In step 325 the selected language pack 240a supplies all of the elements that can be localized in the application 230. In step 330 the server 225 sends the localized application to the client 1 210. The script 205 can enhance the localized application with additional information the browser 213 pulls from the server 225. In step 332 the browser 213 retrieves encoded strings containing supplemental information from the application 230. The script 205 will use these strings to render enhancements not available with the basic application.

FIG. 4 is a logic flow diagram illustrating in more detail the exemplary steps for determining a client's language preference. Beginning with step 440, the local string object, of task 315, 235 looks to the browser 213 to determine whether client 1 210 has set an explicit language preference. If client 1 210 has set explicit language preferences, they will be contained, in order of preference, in a signal that the browser 213 sends to the server 225 at the time of the initial access. If client 1 210 has not set an explicit language preference, the "No" branch is followed to step 455. If client 1 210 has set an explicit language preference, the "Yes" branch is followed to step 445. The local string object determines in step 445 whether there is a language pack that supports client 1's explicit language preference.

If there is a supporting language pack, the "Yes" branch is followed from step 445 to step 470. The local string object 235 in step 470 sets a language variable to the client's language preference. If in step 445 there is no matching language pack, the "No" branch is followed to step 450 where the local string object 235 determines whether the browser 213 has transmitted other explicit language preferences for client 1 210. If client 1 210 has made other explicit language preferences, the "Yes" branch is followed back to step 445 and this loop continues until either an explicit language preference is matched to a language pack or client 1's preferences are

exhausted. When the explicit language preferences are exhausted in step **450**, the “No” branch is followed to step **455**.

If step **455** is reached, client **1 210** does not have explicit language preferences and, consequently, the browser **213** transmits the operating system language of the client **1 210** to the server **225**. The local string object **235** determines whether there is a language pack that matches the client **1** operating system language. If there is a language pack matching the operating system language, the “Yes” branch is followed to step **465** and the language variable is set to correspond with the client **1** operating system language. If there is no language pack that matches the client **1** operating system language, the “No” branch is followed to step **460** and the local string object **235** sets the language variable to a default setting predetermined by the server.

In step **475** the local string object **235** looks at a list of the language packs on the server and selects the language pack **240a** corresponding to the language variable. This language pack **240a** will be used to convert, or localize, the string elements in the application into a particular language. Each language pack on the server contains the string conversions for a language.

In order to convert encoded strings containing supplemental content to be rendered by a script **205** residing on the client **1 210**, a component object **250** must be installed on the client **1 210**. FIG. 5 provides a detailed review of the steps for downloading a component object as represented in step **320** in FIG. 3. Referring to FIG. 5, in step **510**, the local string object **235** pulls a simplified version of the selected language pack **240a**, called the component object **250**, from the selected language pack **240a**. The local string object **235** packages the component object **250** in a compressed file for downloading. In step **515** the client browser **213** downloads the compressed file from the server **225**. In step **520** the component object **250** is opened and installed on client **1 210**. The component object **250** is then available to convert any encoded supplemental strings retrieved from the application into the selected language. Additional component objects for other languages may also be downloaded and installed on the client.

FIG. 6 sets forth the detailed steps for converting an application **230** on a server **225** into a selected language which will ultimately be provided to a client. FIG. 6 provides the detailed steps represented by the process in step **325** of FIG. 3. Referring to FIG. 6, in step **678**, each string of content in the application **230** is assigned a unique identifier. The unique identifier is used to locate the string in a table located within the selected language pack. In step **680**, the ASP Engine **245**, which renders the application content, calls the local string object for the

localizable strings of content to be mapped. In response, the local string object maps the localizable strings of content in step 683 to the selected language pack 240a. Essentially, the mapping process is a search in the language pack for the string elements that make-up the application and their corresponding words or symbols in a specific language. In step 685, the language pack 240a searches its string tables for the unique identifier of each localizable string and the corresponding localized string. Once located, the local string object retrieves the localized strings from the language pack 240a in step 688. In step 690, the local string object 235 passes the localized strings back to the ASP Engine 245.

Once the content of the application 230 is converted into the desired language, the browser 213 retrieves it from the ASP Engine 245. FIG. 7 provides the detailed process represented in step 330 in FIG. 3. FIG. 7 illustrates an exemplary process for transmitting the application content from the server 225 to the client 1 210 in the desired language. In step 793, the ASP Engine 245 renders the application content in the selected language. This is typically accomplished by inserting the localized strings from the language pack 240a into HTML. Finally, the server 225 sends the localized application to the client's browser 213 as HTML content in step 795.

After the client 1 210 receives the converted application, the client browser may also retrieve supplemental content from the server for enhancing the application. FIG. 8 shows in greater detail the process represented in step 332 in FIG. 3. FIG. 8 is a logic flow diagram illustrating an exemplary process for retrieving supplemental strings for the script 205. The script 205 can provide additional material and features not ordinarily available with the application 230, such as popup menus and special graphics. In an alternative embodiment of the invention, an ActiveX control can be used to perform the function of the script. There may also be more than one script operating on a client.

In step 810, the script 205 residing on the client calls the application 230 located on the server 225 to request supplemental content for the application. In step 815, the browser 213 retrieves the strings containing the supplemental content from the application 230. At this point the strings are encoded with the supplemental content just as the content of the original application on the server is encoded in strings. By encoding the supplemental content, a single version can be maintained on the server as opposed to a separate version for every language. In step 820, the component object 250 converts the encoded content in the strings into the language

corresponding with the selected language pack. The script 205 then renders the converted string on the client in the selected language in step 825. In other embodiments, there can be additional scripts on the client or there can be additional component objects to support other languages.

Client 1 210 now has the application 230 in a language it can understand. At the same time, another client 215 may retrieve the application 230 in a different language. While they are using the application 230, the clients 210 and 215 may change the language in which they are viewing the application by changing their language preference. A language pack 240n for the newly selected language translates the application 230 and then sends the newly translated version to the client. Scripts residing on clients 210 and 215 can retrieve supplemental content contained in strings in the application 230. Component objects residing on clients 210 and 215 can convert the supplemental content into the clients respective languages. Clients 210 and 215 may have multiple component objects to support several languages. Only one version of the application 230 and the supplemental content exists on the server 225 to facilitate any changes that need to be made. The variety of languages into which the application and the supplemental content can be translated is controlled by the various language packs installed on the server.

Those skilled in the art will appreciate that the invention has a wide range of applications beyond the environment of the World Wide Web. This method of language localization could be utilized in other types of distributed computing networks where there is a need to express content in varying languages. This method can also be used in a situation where the application resides on a personal computer and localization occurs either on the personal computer or on another logically connected computer.

The present invention operates in a distributed computing environment and permits a client to select the language in which a server provides an application. The application resides on the server in an encoded form. Once a client selects a desired language, the application is converted to that language with language pack software modules residing on the server. After the application is converted, the client's browser retrieves the converted application. Also, when the client selects a desired language, component objects corresponding to that language can be downloaded from the selected language pack software module to the client. In addition to the converted application, the client's browser can also pull supplemental content from the application on the server to the client for enhancement of the application. The component object downloaded to the client from the server converts the supplemental content, which is contained

in encoded strings, and the content is passed to a script residing on the client. The script renders the supplemental information to provide features for the client such as popup menus and graphics.

5 It will be appreciated that the present invention fulfills the needs of the prior art described herein and meets the above-stated objects. While there has been shown and described the preferred embodiment of the invention, it will be evident to those skilled in the art that various modifications and changes may be made thereto without departing from the spirit and the scope of the invention as set forth in the appended claims and equivalence thereof.

09704073-140100

CLAIMS

What is claimed is:

1. A method for receiving an application with supplemental script content in a
5 desired language from a server comprising the steps of:

using a client to access the application on the server;

determining a language preference for the client;

10 downloading a component object from a selected one of the language pack
software modules on the server to the client for converting supplemental content at the client;

converting the content of the application on the server to the client's language
15 preference by using the selected language pack software module on the server corresponding to
the client's language preference;

transmitting the converted content of the application from the server to the client;

and

20 retrieving supplemental content from the application for conversion on the client
by the component object and processing by a client script.

2. The method of claim 1, wherein the step of downloading the component object
comprises the steps of:

25 compressing the component object from the selected language pack;

downloading the compressed component object from the server to the client; and

opening the component object and installing it on the client.

3. The method of claim 1, wherein the step of retrieving the supplemental content
25 from the application for the client script comprises the steps of:

calling the application on the server with the client script;

retrieving supplemental content strings with a client browser;

30 converting the supplemental content strings with the component object residing
on the client; and

rendering the supplemental content strings on the client with the client script.

4. A computer-readable medium having computer-executable instructions for performing the steps recited in claim 1.

5

10

09/04/03 11:00
00T07T 22049/50

5. A computer system with a client capable of accessing an application residing on a server, wherein the server can provide application content and supplemental content in a variety of languages, the server comprising:

a local string software module residing on the server and operable for determining a client's language preference; and

a plurality of language pack software modules residing on the server, each corresponding to a language and operable to convert the content of the application into a different language and to support conversion of supplemental content.

6. The system of claim 5, wherein the language pack software modules residing on the server contain a component object that can be downloaded to the client for converting supplemental content at the client for processing by a script.

7. The system of claim 5, wherein the client comprises:
a browser residing on the client for retrieving information from the server;
a script for processing supplemental content from the application on the server;
and

a component object for converting the supplemental content from the application into the client's language preference.

8. The system of claim 7, wherein the component object is packaged as a compressed file, downloaded from the server to the client, and installed on the client for converting the supplemental content.

9. The system of claim 7, wherein the script is operable for pulling supplemental content from the application on the server with the browser, having it converted into the selected language by the component object installed on the client, and processing the converted supplemental content to for rendering on the client.

10. A method for receiving an application with supplemental content in a desired language from a server comprising the steps of:

using a client to access the application on the server;

determining a language preference for the client;

5 compressing a component object from a selected one of language pack software modules on the server;

downloading the compressed component object from the server to the client;

opening the component object and installing it on the client;

converting the content of the application to the client's language preference by

10 using a selected one of the language pack software modules on the server corresponding to the language preference;

transmitting the converted content of the application from the server to the client;

calling the application on the server with the client script;

retrieving supplemental content with a client browser;

15 converting the supplemental content with the component object residing on the client; and

rendering the supplemental content on the client with the client script.

SYSTEM AND METHOD FOR PROVIDING LANGUAGE LOCALIZATION FOR SERVER-BASED APPLICATIONS WITH SCRIPTS

Abstract of the Disclosure

5 Using a server in a distributed computer network to provide an application and supplemental script content to a client in the client's preferred language. A client accesses an application on a server and provides a preferred language for the application. Language pack software modules on the server take the content of the application and convert it into the language desired by the client. The translated application is then sent by the server to the client.

10 A component of the language pack software module is also downloaded from the server to the client for converting supplemental content. A browser residing on the client will retrieve supplemental content from the application on the server. After the language pack component converts the supplemental content, a client script renders it to enhance the application. This approach eliminates the need to create separate applications with separate script content for each

15 language and allows the client to change languages instantaneously.

K&S Docket: 06576-105030

Client




FIG. 1

Architecture




FIG. 2

Overview of Language Localization Process with Client Scripts




FIG. 3

Determination of Language Preference




FIG. 4

Downloading of Component
Language Pack

320



510

Component Object
of Selected
Language Pack is
Compressed

515

Client Browser
Downloads
Compressed File
from Server

520

Component Object
Opened and
Installed on Client

FIG. 5

Localization of Application with Language Pack






FIG. 6

Sending Localized Content
to Client

330



793



795




FIG. 7

Retrieving Supplemental Strings for Script

332




FIG. 8

DECLARATION AND POWER OF ATTORNEYAttorney's Docket No. **06576.105030** (MS No. 154665.1)In re Application of: **Ludovic Hauduc, and Tuna Ertemalp**

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name. I believe I am an original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled: **Method and System for Providing Language Localization for Server-Based Applications with Scripts**, the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I do not know and do not believe that the same was ever known or used by others in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to the date of this application. I further state that the invention was not in public use or on sale in the United States of America more than one year prior to the date of this application. *I understand that I have a duty of candor and good faith toward the Patent and Trademark Office*, and I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(d) of the foreign application(s) for patent or inventor's certificate listed below, and have also identified below any foreign application for patent or inventor's certificate disclosing subject matter in common with the above-identified specification and having a filing date before that of the application on which priority is claimed:

<u>Application No.</u>	<u>Country</u>	<u>Filing Date</u>	<u>Priority Claimed Under 35 USC §119</u>
None			Yes _____ No <u>X</u>

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

<u>None</u>			
(Application No.)	(Filing Date)	(Application No.)	(Filing Date)

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter disclosed and claimed in the present application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

<u>Application Serial No.</u>	<u>Filing Date</u>	<u>Status: patented, pending, abandoned</u>
None		

I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statement were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patents issuing thereon.

POWER OF ATTORNEY: The following are hereby appointed to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: Sherry M. Knowles-33,052; W. Scott Petty-35,645; Clark G. Sullivan-36,942; Holmes J. Hawkins-38,913; Steven P. Wigmore-40,447; Curtis L. Doster-41,714; Charles Vorndran-45,315; Lisa K. Norton-44,977; Hoang M. Vo-47,158; Katie E. Sako-32,628; Daniel D. Crouse-32,022.

Send correspondence to: **King & Spalding**
191 Peachtree Street, N.E., 45th Floor
Atlanta, Georgia 30303

Direct telephone calls at **(404) 572-4600**

W. Scott Petty

Full name of sole or first inventor: **Ludovic Hauduc**Citizenship: **France**

Inventor's signature

Date: **10/31/00**Residence and Post Office Address: **12935 NE 86th Street, Kirkland, Washington 98033**

DECLARATION AND POWER OF ATTORNEYAttorney's Docket No. **06576.105030** (MS No. 154665.1)In re Application of: **Ludovic Hauduc and Tuna Ertemalp**

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name. I believe I am an original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled: **Method and System for Providing Language Localization for Server-Based Applications with Scripts**, the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I do not know and do not believe that the same was ever known or used by others in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to the date of this application. I further state that the invention was not in public use or on sale in the United States of America more than one year prior to the date of this application. *I understand that I have a duty of candor and good faith toward the Patent and Trademark Office*, and I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(d) of the foreign application(s) for patent or inventor's certificate listed below, and have also identified below any foreign application for patent or inventor's certificate disclosing subject matter in common with the above-identified specification and having a filing date before that of the application on which priority is claimed:

<u>Application No.</u>	<u>Country</u>	<u>Filing Date</u>	<u>Priority Claimed Under 35 USC §119</u>		
None			Yes	No	X

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

<u>None</u>				
(Application No.)	(Filing Date)	(Application No.)	(Filing Date)	

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter disclosed and claimed in the present application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

<u>Application Serial No.</u>	<u>Filing Date</u>	<u>Status: patented, pending, abandoned</u>
None		


I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statement were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patents issuing thereon.

POWER OF ATTORNEY: The following are hereby appointed to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: Sherry M. Knowles-33,052; W. Scott Petty-35,645; Clark G. Sullivan-36,942; Holmes J. Hawkins-38,913; Steven P. Wigmore-40,447; Curtis L. Doster-41,714; Charles Vorndran-45,315; Lisa K. Norton-44,977; Hoang M. Vo-47,158; Katie E. Sako-32,628; Daniel D. Crouse-32,022.

Send correspondence to: **King & Spalding**
191 Peachtree Street, N.E., 45th Floor
Atlanta, Georgia 30303

Direct telephone calls at **(404) 572-4600**

W. Scott Petty

Full name of sole or first inventor: Tuna Ertemalp	Citizenship: Turkey
Inventor's signature 	Date: 10/31/00
Residence and Post Office Address: 17525 NE 40th Street, Apartment A201, Redmond, Washington 98052	